

Safety Data Sheet



Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name • Buffer FC

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) • Intracellular staining

Use(s) advised against • This product is not intended for use in humans or animals.

1.3 Details of the supplier of the safety data sheet

Manufacturer • NanoString Technologies
 530 Fairview Avenue North
 Seattle, WA 98109
 United States
 www.nanostring.com
 operations@nanostring.com

Telephone (General) • 206.378.NANO (6266)

1.4 Emergency telephone number

Manufacturer • 206.378.NANO (6266)

Section 2: Hazards Identification

EU/EEC

According to: Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 2015/830]

2.1 Classification of the substance or mixture

CLP

- Skin Irritation 2 - H315
- Skin Sensitization 1 - H317
- Eye Irritation 2 - H319
- Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation - H335

2.2 Label Elements

CLP

WARNING



Hazard statements • H315 - Causes skin irritation
 H317 - May cause an allergic skin reaction
 H319 - Causes serious eye irritation
 H335 - May cause respiratory irritation

Precautionary statements

- Prevention** • P261 - Avoid breathing mist, vapours, and/or spray.
P264 - Wash thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- Response** • P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 - Call a POISON CENTER/doctor if you feel unwell.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P321 - Specific treatment, see supplemental first aid information.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
- Storage/Disposal** • P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other Hazards

- CLP • According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

UN GHS Revision 3

According to: UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS): Third Revised Edition

2.1 Classification of the substance or mixture

- UN GHS • Skin Mild Irritation 3
Skin Sensitization 1
Germ Cell Mutagenicity 1B
Carcinogenicity 1A
Hazardous to the aquatic environment Acute 3

2.2 Label elements

UN GHS

DANGER



- Hazard statements** • Causes mild skin irritation
May cause an allergic skin reaction
May cause genetic defects.
May cause cancer.
Harmful to aquatic life

Precautionary statements

- Prevention** • Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Avoid breathing mist, vapours, and/or spray.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.
Use personal protective equipment as required.
- Response** • IF ON SKIN: Wash with plenty of soap and water.
Wash contaminated clothing before reuse.
Specific treatment, see supplemental first aid information.

If skin irritation or rash occurs: Get medical advice/attention.
 IF exposed or concerned: Get medical advice/attention.

- Storage/Disposal**
- Store locked up.
 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

UN GHS

- According to the Globally Harmonized System for Classification and Labeling (GHS) this product is considered hazardous

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012

- Skin Sensitization 1
 Germ Cell Mutagenicity 1B
 Carcinogenicity 1A

2.2 Label elements

OSHA HCS 2012

DANGER



- Hazard statements**
- May cause an allergic skin reaction
 May cause genetic defects.
 May cause cancer.

Precautionary statements

- Prevention**
- Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Avoid breathing mist, vapours, and/or spray.
 Contaminated work clothing should not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.
- Response**
- If on skin: Wash with plenty of water.
 Wash contaminated clothing before reuse.
 Specific treatment, see supplemental first aid information.
 If skin irritation or rash occurs: Get medical advice/attention.
 IF exposed or concerned: Get medical advice/attention.

- Storage/Disposal**
- Store locked up.
 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

OSHA HCS 2012

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to: WHMIS 2015

2.1 Classification of the substance or mixture

WHMIS 2015

- Skin Sensitization 1
 Germ Cell Mutagenicity 1B
 Carcinogenicity 1A

2.2 Label elements

WHMIS 2015

DANGER

- Hazard statements** • May cause an allergic skin reaction
 May cause genetic defects.
 May cause cancer.

Precautionary statements

- Prevention** • Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Avoid breathing mist, vapours, and/or spray.
 Contaminated work clothing should not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.
- Response** • IF ON SKIN: Wash with plenty of water.
 Take off contaminated clothing and wash it before reuse.
 Specific treatment, see supplemental first aid information.
 If skin irritation or rash occurs: Get medical advice/attention.
 IF exposed or concerned: Get medical advice/attention.
- Storage/Disposal** • Store locked up.
 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards**WHMIS 2015**

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

Section 3 - Composition/Information on Ingredients**3.1 Substances**

- Material does not meet the criteria of a substance.

3.2 Mixtures

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Component A	CAS:50-00-0 EC Number:200-001-8 EU Index:605-001-00-5	1% TO 5%	Ingestion/Oral-Rat LD50 • 100 mg/kg Inhalation-Rat LC50 • 250 ppm 4 Hour(s) Skin-Rabbit LD50 • 270 mg/kg	EU CLP: Annex VI, Table 3.1: Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Skin Sens. 1, H317; Muta. 2, H341; Carc. 1B, H350 (Inhl) UN GHS Revision 3: Flam. Liq. 4; Acute Tox. 4 (Orl); Acute Tox. 3 (Skn); Acute Tox. 2 (Inhl); Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1; Muta. 1B; Carc. 1A (Inhl); STOT SE 3: Resp. Irrit.; Aquatic Acute 2 OSHA HCS 2012: Flam. Liq. 4; Acute Tox. 4 (Orl); Acute Tox. 3 (Skn); Acute Tox. 2 (Inhalation); Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1; Muta. 1B; Carc. 1A (Inhl); STOT SE 3: Resp. Irrit. WHMIS 2015: Flam. Liq. 4; Acute Tox. 4 (Orl); Acute Tox. 3 (Skn); Acute Tox. 2 (Inhalation); Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1; Muta. 1B; Carc. 1A (Inhl); STOT SE 3: Resp. Irrit.	NDA

See Section 16 for full text of H-statements.

Section 4 - First Aid Measures

4.1 Description of first aid measures

- Inhalation**
- Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing.
- Skin**
- In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Take off contaminated clothing and wash before reuse. If irritation develops and persists, get medical attention.
- Eye**
- In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.
- Ingestion**
- Do not use mouth-to-mouth method if victim ingested the substance.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to Physician**
- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5 - Firefighting Measures

5.1 Extinguishing media

- Suitable Extinguishing Media**
- LARGE FIRE: Water spray, fog or regular foam.
SMALL FIRES: Dry chemical, CO₂, water spray or regular foam.
- Unsuitable Extinguishing Media**
- No data available

5.2 Special hazards arising from the substance or mixture

- Unusual Fire and Explosion Hazards**
- No data available
- Hazardous Combustion Products**
- No data available

5.3 Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.
Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.
Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal Precautions**
- Ventilate enclosed areas. Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
- Emergency Procedures**
- As an immediate precautionary measure, isolate spill or leak area in all directions for at least 50 meters (150 feet) for liquids and at least 25 meters (75 feet) for solids. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stay upwind. Keep out of low areas. Keep unauthorized personnel away.

6.2 Environmental precautions

- Avoid run off to waterways and sewers.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

- Stop leak if you can do it without risk.
SMALL SPILLS: Take up with sand or other non-combustible absorbent material and place into containers for later disposal.
LARGE SPILLS: Dike far ahead of spill for later disposal.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

- Use only with adequate ventilation. Handle in accordance with good industrial and safety practice. Wear recommended Personal Protective Equipment when handling. Avoid breathing mist, vapours and/or spray. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

7.2 Conditions for safe storage, including any incompatibilities

Storage

- Keep container tightly closed and store at recommended temperature.

7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines

	Result	ACGIH	NIOSH	OSHA
Component A (50-00-0)	STELs	0.3 ppm STEL	Not established	2 ppm STEL (see 29 CFR 1910.1048)
	TWAs	0.1 ppm TWA	0.016 ppm TWA	0.75 ppm TWA
	Ceilings	Not established	0.1 ppm Ceiling (15 min)	Not established

8.2 Exposure controls

Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal Protective Equipment

Respiratory

- In case of insufficient ventilation, wear suitable respiratory equipment.

Eye/Face

- Wear chemical splash safety goggles.

Skin/Body

- Wear appropriate gloves.

Environmental Exposure Controls

- Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

STEL = Short Term Exposure Limits are based on 15-minute exposures

NIOSH = National Institute of Occupational Safety and Health

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

OSHA = Occupational Safety and Health Administration

Section 9 - Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Odorless liquid.
Color	No data available	Odor	Odorless
Odor Threshold	No data available		
General Properties			
Boiling Point	No data available	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	pH	No data available
Specific Gravity/Relative Density	No data available	Water Solubility	Soluble 100 %
Viscosity	No data available	Explosive Properties	No data available
Oxidizing Properties:	No data available		
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available		
Flammability			
Flash Point	No data available	UEL	No data available
LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	No data available		
Environmental			
Octanol/Water Partition coefficient	No data available		

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

10.4 Conditions to avoid

- Incompatible materials.

10.5 Incompatible materials

- Strong oxidizing agents.

10.6 Hazardous decomposition products

- Thermal decomposition can lead to release of irritating and toxic gases and vapors.
Carbon oxides.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Components	
Component A (1% TO 5%)	50-00-0 <p>Acute Toxicity: Inhalation-Human TClO • 1 mg/m³; <i>Sense Organs and Special Senses:Eye:Conjunctive irritation; Lungs, Thorax, or Respiration:Cough</i>; Inhalation-Human TClO • 2.5 ppm; <i>Lungs, Thorax, or Respiration:Cough</i>; Inhalation-Rat TDLo • 5 ppm 15 Minute(s); <i>Lungs, Thorax, or Respiration:Structural or functional change in trachea or bronchi</i>; Skin-Rabbit LD50 • 270 mg/kg;</p> <p>Irritation: Eye-Rabbit • 10 mg • Severe irritation; Skin-Human • 0.01 % • Severe irritation; Skin-Rabbit • 2 mg 24 Hour(s) • Severe irritation;</p> <p>Mutagen: Sister chromatid exchange • Inhalation-Human • 0.985 mg/m³ 8 Hour(s) 8.5 Year(s); Micronucleus test • Inhalation-Human • 2 ppm 15 Minute(s); Cytogenetic analysis • Inhalation-Rat • 15 ppm 5 Day(s)-Intermittent;</p> <p>Reproductive: Ingestion/Oral-Rat TDLo • 168 mg/kg (1-21D preg); <i>Reproductive Effects:Specific Developmental Abnormalities:Hepatobiliary system</i>; Ingestion/Oral-Rat TDLo • 17.6 mg/kg (1-22D preg); <i>Reproductive Effects:Effects on Embryo or Fetus:Fetotoxicity (except death, e.g., stunted fetus)</i>; Inhalation-Rat TClO • 1 mg/m³ 24 Hour(s)(1-22D preg); <i>Reproductive Effects:Effects on Embryo or Fetus:Cytological changes</i>;</p> <p>Tumorigen / Carcinogen: Inhalation-Mouse TClO • 14300 ppb 6 Hour(s) 2 Year(s)-Intermittent; <i>Tumorigenic:Equivocal tumorigenic agent by RTECS criteria</i>; <i>Sense Organs and Special Senses:Olfaction:Tumors</i>; Inhalation-Rat TClO • 14300 ppb 6 Hour(s) 2 Year(s)-Intermittent; <i>Tumorigenic:Carcinogenic by RTECS criteria</i>; <i>Sense Organs and Special Senses:Olfaction:Tumors</i></p>

GHS Properties	Classification
Acute toxicity	EU/CLP • Data lacking UN GHS 3 • Data lacking OSHA HCS 2012 • Data lacking WHMIS 2015 • Data lacking
Skin corrosion/Irritation	EU/CLP • Skin Irritation 2 UN GHS 3 • Skin Mild Irritation 3 OSHA HCS 2012 • Data lacking WHMIS 2015 • Data lacking
Serious eye damage/Irritation	EU/CLP • Eye Irritation 2 UN GHS 3 • Data lacking OSHA HCS 2012 • Data lacking WHMIS 2015 • Data lacking
Skin sensitization	EU/CLP • Skin Sensitizer 1 UN GHS 3 • Skin Sensitizer 1 OSHA HCS 2012 • Skin Sensitizer 1 WHMIS 2015 • Skin Sensitizer 1
Respiratory sensitization	EU/CLP • Data lacking UN GHS 3 • Data lacking OSHA HCS 2012 • Data lacking WHMIS 2015 • Data lacking
Aspiration Hazard	EU/CLP • Data lacking UN GHS 3 • Data lacking OSHA HCS 2012 • Data lacking WHMIS 2015 • Data lacking
Carcinogenicity	EU/CLP • Data lacking UN GHS 3 • Carcinogenicity 1A OSHA HCS 2012 • Carcinogenicity 1A WHMIS 2015 • Carcinogenicity 1A
Germ Cell Mutagenicity	EU/CLP • Data lacking UN GHS 3 • Germ Cell Mutagenicity 1B OSHA HCS 2012 • Germ Cell Mutagenicity 1B WHMIS 2015 • Germ Cell Mutagenicity 1B

Toxicity for Reproduction	EU/CLP • Data lacking UN GHS 3 • Data lacking OSHA HCS 2012 • Data lacking WHMIS 2015 • Data lacking
STOT-SE	EU/CLP • Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation UN GHS 3 • Data lacking OSHA HCS 2012 • Data lacking WHMIS 2015 • Data lacking
STOT-RE	EU/CLP • Data lacking UN GHS 3 • Data lacking OSHA HCS 2012 • Data lacking WHMIS 2015 • Data lacking

Potential Health Effects

Inhalation

- Acute (Immediate)** • May cause respiratory irritation.
- Chronic (Delayed)** • No data available.

Skin

- Acute (Immediate)** • Causes skin irritation.
- Chronic (Delayed)** • No data available.

Eye

- Acute (Immediate)** • Causes serious eye irritation.
- Chronic (Delayed)** • No data available.

Ingestion

- Acute (Immediate)** • May cause irritation if swallowed.
- Chronic (Delayed)** • No data available.

Mutagenic Effects

- Repeated and prolonged exposure may cause mutagenic effects.

Carcinogenic Effects

- Repeated and prolonged exposure may cause cancer.

Carcinogenic Effects				
	CAS	OSHA	IARC	NTP
Component A	50-00-0	Specifically Regulated Carcinogen	Group 1-Carcinogenic	Known Human Carcinogen

Key to abbreviations

TC = Toxic Concentration

TD = Toxic Dose

Section 12 - Ecological Information

12.1 Toxicity

Components		
Component A (1% TO 5%)	50-00-0	Aquatic Toxicity-Fish: 96 Hour(s) LC50 <i>Ictalurus melas</i> 24.8 mg/L 10 Day(s) NOEC <i>Ictalurus punctatus</i> 455.8 mg/L Aquatic Toxicity-Crustacea: 48 Hour(s) EC50 <i>Daphnia pulex</i> 5.8 mg/L Aquatic Toxicity-Algae and Other Aquatic Plant(s): 96 Hour(s) EC50 <i>Isochrysis galbana</i> 3.05 mg/L

- Harmful to aquatic life.

12.2 Persistence and degradability

- Material data lacking.

12.3 Bioaccumulative potential

- Material data lacking.

12.4 Mobility in Soil

- Material data lacking.

12.5 Results of PBT and vPvB assessment

- No PBT and vPvB assessment has been conducted.

12.6 Other adverse effects

- No studies have been found.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	Not Applicable	Not Regulated	Not Applicable	Not Applicable	NDA
TDG	Not Applicable	Not Regulated	Not Applicable	Not Applicable	NDA
IMO/IMDG	Not Applicable	Not Regulated	Not Applicable	Not Applicable	NDA
IATA/ICAO	Not Applicable	Not Regulated	Not Applicable	Not Applicable	NDA

14.6 Special precautions for user

- None specified.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

- Data lacking.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

State Right To Know				
Component	CAS	MA	NJ	PA
Component A	50-00-0	Yes	Yes	Yes

Inventory						
Component	CAS	Canada DSL	Canada NDSL	EU EINECS	EU ELNICS	TSCA
Component A	50-00-0	Yes	No	Yes	No	Yes

Canada

Labor		
Canada - WHMIS 1988 - Classifications of Substances		
• Component A	50-00-0	B1, D1A, D2A, D2B; B3, D1A, D2A, D2B, E (regulated under Formol)
Canada - WHMIS 1988 - Ingredient Disclosure List		
• Component A	50-00-0	0.1 %

Environment		
Canada - CEPA - Priority Substances List		
• Component A	50-00-0	Priority Substance List 2 (substance considered toxic)

United States

Labor		
U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals		
• Component A	50-00-0	1000 lb TQ
U.S. - OSHA - Specifically Regulated Chemicals		
• Component A	50-00-0	2 ppm STEL (See 29 CFR 1910.1048, 15 min); 0.5 ppm Action Level (See 29 CFR 1910.1048); 0.75 ppm TWA (See 29 CFR 1910.1048)

Environment		
U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants		
• Component A	50-00-0	
U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities		
• Component A	50-00-0	100 lb final RQ; 45.4 kg final RQ
U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities		
• Component A	50-00-0	Not Listed
U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs		
• Component A	50-00-0	100 lb EPCRA RQ
U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs		
• Component A	50-00-0	500 lb TPQ
U.S. - CERCLA/SARA - Section 313 - Emission Reporting		
• Component A	50-00-0	0.1 % de minimis concentration
U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing		
• Component A	50-00-0	Not Listed

United States - California

Environment		
U.S. - California - Proposition 65 - Carcinogens List		
• Component A	50-00-0	carcinogen, 1/1/1988 (gas)
U.S. - California - Proposition 65 - Developmental Toxicity		

• Component A	50-00-0	Not Listed
U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)		
• Component A	50-00-0	Not Listed
U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)		
• Component A	50-00-0	40 µg/day NSRL (gas)
U.S. - California - Proposition 65 - Reproductive Toxicity - Female		
• Component A	50-00-0	Not Listed
U.S. - California - Proposition 65 - Reproductive Toxicity - Male		
• Component A	50-00-0	Not Listed

15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

15.3 Other Information

- **WARNING:** This product contains a chemical known to the State of California to cause cancer.

Section 16 - Other Information

Relevant Phrases (code & full text)

- H301 - Toxic if swallowed
- H311 - Toxic in contact with skin
- H314 - Causes severe skin burns and eye damage.
- H330 - Fatal if inhaled
- H341 - Suspected of causing genetic defects.
- H350 - May cause cancer.

Revision Date

- 04/March/2019

Preparation Date

- 04/March/2019

Disclaimer/Statement of Liability

- The information herein is given in good faith but no warranty, expressed or implied, is made.

Key to abbreviations

NDA = No Data Available